

Rely on us.™

Varn® Majesta 893

Versatile Across Many Press Dampening Systems, Stocks and Speeds

Fountain Solution: Mild-Acid

Varn® Majesta 893 utilizes a unique blend of solvents to improve the ink/water balance window across a variety of paper stocks, press dampening systems, and ink systems.

Varn® Majesta 893 is a cost-effective acid fountain solution formulated for optimal compatibility with Flint Group heatset inks. The product performs on a wide variety of dampening systems, including Dahlgren, spray and Duotrol. A high pH and blend of solvents make this solution less aggressive toward the ink and paper.

Advantages of Varn® Majesta 893

- Reduces waste and improves color quality related to ink laydown and gloss.
- Developed in partnership with our heatset ink teams for the best possible emulsion capacity.
- Reduces ink misting and paper piling through proper emulsion and transfer.
- Strong buffering system.
- Less aggressive toward ink and paper.

HEATSET.



FlintGroup

Varn® Majesta 893

Versatile Across Many Press Dampening Systems, Stocks and Speeds

Specifications:

Physical state – Liquid
Solubility in water – Complete; 100%
VOC % BY WEIGHT – 17.16
VOC lbs/gal – 1.53
pH – 4.35
Specific gravity – 1.07
Color – Clear Green
Odor – mild
Bulk Density – 8.91

Directions:

Mix 4-6 ounces of product per gallon of water to achieve conductivity of ~470 micromhos per ounce over water and pH of 4.35. Increase product by ½ ounce per gallon as needed to achieve desired print quality.

For best results start with a clean dampening system.

Packaging:

330 gallon totes
55 gallon drums

Inks,
blankets,
chemicals
& more

Rely on us™
to bring greater value to your pressroom.

For more information:

Flint Group
Print Media North America
14909 N. Beck Road
Plymouth, MI 48170
+1 734 781 4600
printmedia.na@flintgrp.com

www.flintgrp.com

The aim of our technical documents is to inform and advise our customers. The information provided herein is correct to the best of Flint Group's knowledge. Customers are responsible for confirming suitability of this product for their application. In no event shall Flint Group be liable for any errors, facts or opinions contained herein, or any claims by any party alleging reliance on these materials, regardless of the form of action.

Product names followed by a ® are trademarks registered by a Flint Group company.

Version 5/2015 Page 2 of 2