

Varn® LVP MRC

Quick Drying Metering Roller Cleaner with Extra Cleaning Power

Varn® Specialty Chemical: Cleaner

Non-chlorinated metering roller cleaner for continuous dampening systems and other dampening rollers. Non-photochemically reactive formula dries quickly and leaves no residue. Varn® LVP MRC is equivalent to a 30% VOC cleaner in states that recognize the Vapor Pressure Guideline of the U.S. EPA. The product contains no methylene chloride and is safe to use as directed.

Advantages of Varn® LVP MRC

- Non-photochemically reactive
- Extra cleaning power
- Revitalizes rubber compounds
- Low vapor pressure/low-VOC equivalent

SHEETFED. HEATSET WEB. NEWS. PACKAGING. BUSINESS FORMS.



FlintGroup

Varn® LVP MRC

Quick Drying Metering Roller Cleaner with Extra Cleaning Power



Specifications:

Flash Point: (TCC) <20°F (-29°C)

VOC (lbs/gal): 5.47 VOC (g/l): 655

Vapor Pressure: 8.5 (mmHg@20°C)

Directions:

Blankets:

Remove wet ink. Apply a small amount of Varn® LVP MRC over distributor roller. Run in for 3 - 4 minutes, engage wash-up blade and rinse rollers with a Varn® water-miscible or environmental wash.

Rollers:

Wipe Varn® LVP MRC onto entire surface of blanket. Allow to penetrate for 3 - 4 minutes, wash off blanket with a Varn® water-miscible or environmental wash.

Packaging:

U.S.A.
6 x 1 Gallons
5 Gallon Pail
55 Gallon Drum

Not available in Canada



Rely on us[™]

to bring greater value to your pressroom.

For more information:

Flint Group
Print Media North America
14909 N. Beck Road
Plymouth, MI 48170
+1 734 781 4600
printmedia.na@flintgrp.com

The aim of our technical documents is to inform and advise our customers. The information provided herein is correct to the best of Flint Group's knowledge. Customers are responsible for confirming suitability of this product for their application. In no event shall Flint Group be liable for any errors, facts or opinions contained herein, or any claims by any party alleging reliance on these materials, regardless of the form of action.

Product names followed by a ® are trademarks registered by a Flint Group company.

Version 5/2015 Page 2 of 2