

# Varn® Apollo 832

Standard Silicone Emulsion for Web Printing

## **Web Conditioner**

Varn® Apollo 832 is designed to reduce marking and deliver even hydration to the web. This versatile product provides proper lubrication to enhance delivery and stacking of the finished product from all high-speed press folder systems. In extensive field testing, Apollo 832 proved best in class in terms of waste, quality of bundles, cut-off and fold variation, marking, fluting, and dosage. Compared to competitive products, Apollo 832 recieved the highest marks from press operators and crews.

## Advantages of Varn® Apollo 832

- Can be used successfully in all web printing applications to control marking
- Works well with all types of paper stocks, press types and folding systems
- · Provides reliable and consistent performance and results

HEATSET.



**Flint**Group

# Varn® Apollo 832

Standard Silicone Emulsion for Web Printing



Features	Benefits
Even wetting across the web	Allows for complete web hydration after the web has traveled through the oven. Improves cut-off and fold control at high speeds.
Runs at a dosage of 5.8 ounces per gallon	Consistent dosing on presses of all speeds and configurations.

### **Specifications:**

Please refer to Safety Data Information

#### **Directions:**

Start at 5 ounces per gallon of water to prevent streaking and marking, and to eliminate static problems. Add product to one ounce per gallon for more difficult marking and static challenges.

#### Packaging:

5 gallon pail 55 gallon drum 275 gallon poly tote

Inks, blankets, chemicals & more

Rely on us<sup>™</sup>

to bring greater value to your pressroom.

For more information:

www.flintgrp.com

Flint Group
Print Media North America
14909 N. Beck Road
Plymouth, MI 48170
+1 734 781 4600
printmedia.na@flintgrp.com

The aim of our technical documents is to inform and advise our customers. The information provided herein is correct to the best of Flint Group's knowledge. Customers are responsible for confirming suitability of this product for their application. In no event shall Flint Group be liable for any errors, facts or opinions contained herein, or any claims by any party alleging reliance on these materials, regardless of the form of action.

Product names followed by a ® are trademarks registered by a Flint Group company.

Version 5/2015 Page 2 of 2