

FLEXIBLE PACKAGING

OmniLam™ Veloce

FLINT GROUP'S HIGH SPEED LAMINATION WHITE INK WHICH ENABLES THE PRINTER TO MAXIMIZE THEIR EFFICIENCIES WHILE MAINTAINING THE ESTHETICS AND FUNCTIONALITY THAT THEIR MARKET REQUIRE.

OmniLam™ Veloce

This High Speed Lamination White will enable a printing speed of greater than 2000 fpm. Suitable substrates are OPP, polyesters, and nylon.

Suitable Applications

- Frozen foods
- Snack foods
- Confectionary
- Re-sealable pouches

Attributes	Benefits
<ul style="list-style-type: none">• High opacity: 50-53 BNL.	<ul style="list-style-type: none">• Extrusion / Adhesive Lamination
<ul style="list-style-type: none">• Clean printability at high speed: ~2000 fpm.	<ul style="list-style-type: none">• Proven performance on multiple presses<ul style="list-style-type: none">» Several extended runs without cleanup
<ul style="list-style-type: none">• Bonds > 400 g/in	<ul style="list-style-type: none">• Extended blade wear

Availability

- Commercially available
- Lead time 10 days (3 days Stock item with approval)

OmniLam™ Veloce	
Printing Speeds	2000+ ft/min
Anilox lines	600 / 4.0 BCM


OmniLam™ Veloce

Colour Matching

This white ink is compatible with many of our solvent-based laminating vehicles; please review with the PDL and or Product Management before colour matching. Please use the following guidelines for matching:

- 60 - 70 % FlexiBase™ HDP Base
- 30 - 40% FlexiLam™ ST4 vehicles
- *Approved Flint Group extenders as needed*

How does it measure up against previous systems & competition?



- ◆ Standard Lamination White (Floartek White)
- Competitor High Speed Lamination White
- ▲ High Speed Lamination White R1W09186

For more details on OmniLam™ Veloce, call your nearest Flint Group office or dealer.

Flint Group
15500 28th Avenue North,
Plymouth, MN 55447, USA
www.flintgrp.com

T +1 763 559 5911
Toll Free in the U.S.(800) 328 7838
F +1 763 559 3725
info.packaginginks@flintgrp.com

The aim of our technical documents is to inform our customers about general values. However, the transferability of general values known from experience and laboratory results to concrete practical applications depends on a number of factors which are beyond our control. We therefore ask for your understanding that this advice document cannot be used as the basis for claims in law. Furthermore, the correct application for each product has to be checked carefully for suitability. For application details refer to Technical Data Sheet. Product names followed by ® are trademarks registered by Flint Group Incorporated.